INDEX TO VOLUME 105

New scientific names are in bold face.

Abnormal morphology, *Paspalum* 240–249
Agalinis kingsii 178–188
Algae 1–53
Alien species: Gulf of Maine 1–53; Massachusetts 395–398; Ohio 385–394
Aliscioni, Sandra S. 240–249
Alismataceae 282–285
Amaranthus 260–281; key to species 262–265, 270–271; hybrids 274–276
Amaranthus tuberculatus var. ***rudis***, comb. nov. 266
ANNOUNCEMENTS:
Merritt Lyndon Fernald Award 306–307
NEBC Graduate Student Research Award 305
Apocynaceae 399–402
Apogamy, *Phegopteris* 309–321
Aralia spinosa: An introduced woody species with invasive potential in Massachusetts. 395–398 (New England Note)
Asia 106–117
Asiatic 1–53
Asteraceae 101–105

Barkworth, Mary E. 197–204
Barrington, David S. 309–321
Biodiversity 354–378
Biogeography, *Chamaecyparis* 106–117
BOOK REVIEWS:
Vascular Flora of Illinois. 292–294
Guide to the Trees, Shrubs, and Woody Vines of Tennesee. 403–406
Bristly Greenbrier, taxonomy 250–259
British West Indies 178–188
Burleigh, J. Gordon and Timothy P. Holtsford. Molecular systematics of the eastern North American *Silene* (Caryophyllaceae): Evidence from nuclear ITS and chloroplast *trn*L intron sequences. 76–90
Burton, Frederic J. 178–188

Canada 118–135, 260–281
Caribbean Sea 178–188
Carroll County, New Hampshire 153–177
Caryophyllaceae 76–90
Cenchrus parviflorus 197–204
Central America 240–249
Ceratozamia 379–384; *C. miqueliana* 381; *C. norstogii* 382
Chamaecyparis 106–117
Checklist for contributors to *Rhodora* 94–100
Checklists: marine algae 62–74; late-flowering plants, Nova Scotia 118–135; peatland flora in New Hampshire 171–177; new records, Ohio and Cuyahoga Co., Ohio 391–394
China 205–239
Chlorophyta 1–53
Cladrastis 205–239; key to the species of 214; distribution maps 217–218, 224; taxonomy 214–234; *C. platycarpa* 214–217; ***C. chingii*** 217–221; *C. kentukea* 221–226; *C. wilsonii* 226–229; *C. delavayi* 229–232; *C. shikokiana* 232–234
Cladrastis chingii, sp. nov. 217–221
Climate change 118–135
Codium fragile subsp. *tomentosoides* 1–53; distribution maps 7, 9
Communities, peatland 153–177
Conspectus and notes on the genus *Amaranthus* in Canada. 260–281
Coreopsideae 101–105
Correct name for the Bristly Greenbrier 250–259
Costea, Mihai and François J. Tardif. Conspectus and notes on the genus *Amaranthus* in Canada. 260–281
Crow, Garrett E. 153–177
Cupressaceae 106–117
Cuyahoga Co., Ohio, new records of vascular plants 385–394; checklist 391–394

Cycad (Zamiaceae) reports from Chiapas, Oaxaca, and Tabasco, Mexico. New, 379–384
Cycads, Mexico 379–384

Dahlia hjertingii, sp. nov. 101–105; key 104
Dawes, Clinton J. 1–53
Denham, Silvia S. and Sandra S. Aliscioni. A reappraisal of *Paspalum pilosum* and *P. peregrinum* (Poaceae: Panicoideae: Paniceae). 240–249
Developmental morphology of roots and shoots of *Podostemum ceratophyllum* (Podostemaceae – Podostemoideae) 337–353
Diochon, Amanda, Frederic J. Burton, and David J. Garbary. Status and ecology of *Agalinis kingsii* (Scrophulariaceae), a rare endemic to the Cayman Islands (Caribbean Sea). 178–188
Diphasiastrum* ×*verecundum (Lycopodiaceae), nothosp. nov. 136–142
Disjunct, eastern Asian–North American 106–117
Dispersal of *Codium fragile* subsp. *tomentosoides* 1–53; chronology of 18–19
Distribution maps: *Codium fragile* subsp. *tomentosoides* 7, 9; *Cladrastis* 217–218, 224; *Fernaldia speciosissima* 401
Distribution of *Codium fragile* subsp. *tomentosoides* 1–53
Dithecous leaf, *Podostemum ceratophyllum* 337–353
Donoghue, Michael J. 106–117
Driscoll, Heather E., David S. Barrington, and Arthur V. Gilman. A reexamination of the apogamous tetraploid *Phegopteris* (Thelypteridaceae) from northeastern North America. 309–321
Duley, Matthew L. and Michael A. Vincent. A synopsis of the genus *Cladrastis* (Leguminosae). 205–239

Eastern Asia 106–117
Ecology of *Codium fragile* subsp. *tomentosoides* 1–53
Endangered species: *Agalinis kingsii* 178–188; Mexico 379–384
Endemic species, *Agalinis kingsii* 178–188
Epiphytes on *Codium fragile* subsp. *tomentosoides* 1–53
Evaluation of taxonomic boundaries in *Plantanthera dilata* (Orchidaceae) based on morphological and molecular variation. An, 322–336
Evolutionary origin 309–321
Exotic plants 260–281
Expansion of the Asiatic green alga *Codium fragile* subsp. *tomentosoides* in the Gulf of Maine. 1–53

Fabaceae 205–239
Fatoua villosa 286–291
Fernaldia speciosissima, range extension 399–402; distribution map 401
Ferns: *Phegopteris* 309–321; Massachusetts 354–378
Flora of Mud Pond peatland, New Hampshire 153–177; checklist 171–177
Flora of Needham, Massachusetts—100 years of floristic change. 354–378
Flora: Massachusetts 354–378; Mexico 379–384; Ohio 385–394
Floristic change, Needham, Massachusetts 354–378
Flowering 118–135
Fungal infection 240–249

Garbary, David J. 118–135, 178–188
Ghandi, Kanchi N. and Mary E. Barkworth. Nomenclatural and taxonomic review of knotroot bristle grass (*Setaria parviflora*, Gramineae). 197–204
Gilman, Arthur V. 309–321
Gilman, Arthur V. ***Diphasiastrum* ×*verecundum*** (Lycopodiaceae), nothosp. nov. 136–142
Global warming 118–135
Gramineae 197–204
Grand Cayman 178–188
Green alga 1–53
Guatemala, range extension for *Fernaldia speciosissima* 399–402
Gulf of Maine 1–53

Haines, Arthur 282–285
Haines, Arthur. A record for *Selaginella eclipes* (Selaginellaceae) in Massachusetts. 189–191 (New England Note)
Hansen, Hans V. and Paul D. Sørensen. A new species of *Dahlia* (Asteraceae, Coreopsideae) from Hildago State, México. 101–105
Harris, Larry G. 1–53
Harvey, Liz and Arthur Haines. *Sagittaria teres* (Alismataceae) in New Hampshire. 282–285 (New England Note)
Hehre, Edward J. 1–53
Hellquist, C. Eric and Garrett E. Crow. The vascular flora of Mud Pond peatland, Carroll County, New Hampshire. 153–177
Hildago State, Mexico 101–105
Holtsford, Timothy P. 76–90
Hybrid species: *Amaranthus* 274–276; *Diphasiastrum* 136–142; Ohio 385–394; *Phegopteris* 309–321; *Polygonum* 143–152

Iglesias, Carlos 379–384
IN MEMORIAM:
Wesley Newell Tiffney, Jr. 303–304
Introduced species: *Codium fragile* subsp. *tomentosoides* 1–53; *Aralia spinosa* 395–398
Invasive species: *Aralia spinosa* 395–398; *Codium fragile* subsp. *tomentosoides* 1–53; *Fatoua villosa* 286–291; Massachusetts 354–378; *Polygonum* 143–152
Isozyme 309–321
ISSR, *Plantanthera* 322–336
ITS 76–90, 106–117

Jacobson, Arthur L. 143–152
Japan 205–239

Keith, Allan R. 54–75
Knotroot bristle grass 197–204

Late-flowering plants from northern Nova Scotia, Canada. 118–135
Leguminosae 205–239
Li, Jianhua, Donglin Zhang, and Michael J. Donoghue. Phylogeny and biogeography of *Chamaecyparis* (Cupressaceae) inferred from DNA sequences of the nuclear ribosomal ITS region. 106–117
Lycopodiaceae 136–142

Maine 1–53, 309–321
Marine algae 1–53, 54–75; checklist 62–74
Martha's Vineyard 54–75
Massachusetts 54–75, 189–191, 286–291, 354–378, 395–398
Mathieson, Arthur, C., Clinton J. Dawes, Larry G. Harris, and Edward J. Hehre. Expansion of the Asiatic green alga *Codium fragile* subsp. *tomentosoides* in the Gulf of Maine. 1–53
McCombs, Martha R. 385–394
Mexico 101–105, 379–384
Miller, Norton G. and Carroll E. Wood, Jr. The Asian weed *Fatoua villosa* (Moraceae) in New York State and Massachusetts. 286–291 (Note)
Molecular systematics of the eastern North American *Silene* (Caryophyllaceae): Evidence from nuclear ITS and chloroplast *trn*L intron sequences. 76–90
Moline, Philip 337–353
Morales, Silvia Salas 379–384
Morphology: *Fatoua villosa* 286–291; *Plantanthera* 322–336; *Podostemum ceratophyllum* 337–353

Native species, Ohio 385–394
NEBC Meeting News 92–93, 192–195, 296–302, 407–409
New Books 91, 295
New combinations: ***Amaranthus tuberculatus*** var. ***rudis***, comb. nov. 266; ***Polygonum ×bohemicum***, comb. nov. 143–152; key 148
New cycad (Zamiaceae) reports from Chiapas, Oaxaca, and Tabasco, Mexico. 379–384
New Hampshire 153–177, 282–285
New hybrid, ***Diphasiastrum ×verecundum***, nothosp. nov. 136–142

New records: Cycads in Mexico 379–384; *Fatoua villosa* 286–291; Ohio 385–394; *Selaginella eclipes* 189–191
New records of vascular plants for Ohio and Cuyahoga County, Ohio. Part II. 385–394
New species of *Dahlia* (Asteraceae, Coreopsideae) from Hildago State, Mexico. A. 101–105
New species: ***Cladrastis chingii***, sp. nov. 217–221; ***Dahlia hjertingii***, sp. nov. 101–105
New York State 286–291
Nomenclatural and taxonomic review of knotroot bristle grass (*Setaria parviflora*, Gramineae). 197–204
Nomenclature, *Setaria parviflora* 197–204
Nonindigenous species, Gulf of Maine 1–53
Nova Scotia 118–135
nrDNA 106–117

Ohio, new records of vascular plants 385–394; checklist 391–394
Orchidaceae 322–336, 354–378
Overlooked hybrid Japanese knotweed (*Polygonum cuspidatum* × *sachalinense*; Polygonaceae) in North America. An. 143–152

Paniceae 240–249
Panicum geniculatum 197–204
Papilionoideae 205–239
Paspalum pilosum and *P. peregrinum* 240–249; distribution map 241; synonymy for *P. pilosum* 246
PCR-RFLP, *Plantanthera* 322–336
Peatland 153–177
Pérez-Farrera, Miguel Angel 379–384
Pfeifer, Evelin 337–353
Phegopteris connectilis, *P. hexagonoptera* 309–321
Phenology, flowering in Nova Scotia 118–135
Philbrick, C. Thomas 337–353
Phylogeny and biogeography of *Chamaecyparis* (Cupressaceae) inferred from DNA sequences of the nuclear ribosomal ITS region. 106–117
Phylogeny, *Silene* 76–90
Plantanthera dilata var. *albiflora*, var. *dilatata*, var. *leucostachys* 322–336
Poaceae 240–249
Podostemaceae 337–353
Podostemum ceratophyllum 337–353
Polygonaceae 143–152
Polygonum* ×*bohemicum, comb. nov. 143–152; key 148
Polygonum cuspidatum × *sachalinense* 143–152; key 148
Polyploidy, *Phegopteris* 309–321
Preliminary checklist of marine algae from Martha's Vineyard, Massachusetts. 54–75

Range extension for *Fernaldia speciosissima* (Apocynaceae, subfamily Apocynoideae). A. 399–402 (Note)
RAPD, *Plantanthera* 322–336
Reappraisal of *Paspalum pilosum* and *P. peregrinum* (Poaceae: Panicoideae: Paniceae). A. 240–249
Record for *Selaginella eclipes* (Selaginellaceae) in Massachusetts. A. 189–191 (New England Note)
Reexamination of the apogamous tetraploid *Phegopteris* (Thelypteridaceae) from northeastern North America. A. 309–321
Reviewers of Manuscripts 410
Reyes, Sergio Avendaño 379–384
*rpl*16 intron, *Plantanthera* 322–336
Rutishauser, Rolf, Evelin Pfeifer, Philip Moline, and C. Thomas Philbrick. Developmental morphology of roots and shoots of *Podostemum ceratophyllum* (Podostemaceae – Podostemoideae). 337–353

Sagittaria teres (Alismataceae) in New Hampshire. 282–285 (New England Note)
Scrophulariaceae 178–188
Seaweeds 54–75
Selaginella eclipes 189–191
Selaginellaceae 189–191
Setaria geniculata, *S. gracilis*, *S. parviflora* 197–204; synonymy for *S. parviflora* 200–203

Silene 76–90
Smilacaceae 250–259
Smilax hispida, *S. pandurata*, *S. tamnoides* 250–259; synonymy for *S. hispida* 256
Sophora group 205–239
Sophoraceae 205–239
Sørensen, Paul D. 101–105
South America 240–249
Species loss, Massachusetts 354–378
Standley, Lisa A. Flora of Needham, Massachusetts—100 years of floristic change. 354–378
Statement of Ownership No. 921, inside back cover
Status and ecology of *Agalinis kingsii* (Scrophulariaceae), a rare endemic to the Cayman Islands (Caribbean Sea). 178–188
Synopsis of the genus *Cladrastis* (Leguminosae). A, 205–239

Tardif, François J.
Taxonomic boundaries in *Plantanthera dilata* (Orchidaceae) 322–336
Taxonomy: *Amaranthus* 260–281; *Cladrastis* 205–239; *Dahlia* 101–105; *Paspalum* 240–249; *Polygonum* 143–152; *Setaria* 197–204; *Smilax* 250–259
Taylor, Barry R. and David J. Garbary. Late-flowering plants from northern Nova Scotia, Canada. 118–135
The Asian weed *Fatoua villosa* (Moraceae) in New York State and Massachusetts. 286–291 (Note)
Thelypteridaceae 309–321
Tiffney, Wesley Newell, Jr. 303–304 (In Memoriam)
Treat, Rose, Allan R. Keith, and Robert T. Wilce. Preliminary checklist of marine algae from Martha's Vineyard, Massachusetts. 54–75
*trn*L intron 76–90
*trn*T-F, *Plantanthera* 322–336

Vascular flora of Mud Pond peatland, Carroll County, New Hampshire. The, 153–177; checklist 171–177
Vegetation, peatland 153–177; checklist 171–177
Vegetative morphology, *Podostemum ceratophyllum* 337–353
Vermont, *Phegopteris* 309–321
Vincent, Michael A. 205–239
Vovides, Andrew P., Miguel Angel Pérez-Farrera, Carlos Iglesias, Sergio Avendaño Reyes, and Silvia Salas Morales. New cycad (Zamiaceae) reports from Chiapas, Oaxaca, and Tabasco, Mexico. 379–384

Wallace, Lisa E. An evaluation of taxonomic boundaries in *Plantanthera dilata* (Orchidaceae) based on morphological and molecular variation. 322–336
Weeds: *Fatoua villosa* 286–291; *Amaranthus* 260–281
What is the correct name for the Bristly Greenbrier? 250–259
Wilbur, Robert I. What is the correct name for the Bristly Greenbrier? 250–259
Wilce, Robert T. 54–75
Wilder, George J. and Martha R. McCombs. New records of vascular plants for Ohio and Cuyahoga County, Ohio. Part II. 385–394
Williams, Justin K. A range extension for *Fernaldia speciosissima* (Apocynaceae, subfamily Apocynoideae). 399–402 (Note)
Wood, Carroll E., Jr. 286–291

Zamia 379–384; *Z. splendens* 382–383
Zamiaceae 379–384
Zebryk, Tad M. *Aralia spinosa*: An introduced woody species with invasive potential in Massachusetts. 395–398 (New England Note)
Zhang, Donglin 106–117
Zika, Peter, F. and Arthur L. Jacobson. An overlooked hybrid Japanese knotweed (*Polygonum cuspidatum* × *sachalinense*; Polygonaceae) in North America. 143–152